40km Single-mode Fiber Optic Module



Overview

The 1000Base-BX SFP optical module is designed for data transmission using a single single-mode (SM) fiber. It transmits data at speeds of up to 1. Designed to work in pair with module: LO-SF-1G-3S5-40L Please specify the device model. If you are ordering inserts for several device models, describe how many pieces and for which model. With a TX power of -2dBm (min) and RX sensitivity of. This Generic SFP-1G-EX compatible SFP module supports 1000BASE-EX Gigabit Ethernet connectivity and 1G fiber channel application. This 1G SFP transceiver complies with the SFP MSA, IEEE 802. These help keep signals strong. Supporting 40km transmission over single-mode fiber at 1550/1310nm wavelengths, this BiDi module delivers 21 dB link budget and multi-rate operation from 100 Mbps to 1. LC/UPC. The AMG SFP-1G series are industrial high speed 1000Mb Ethernet SFP's offering support for multiple cable types including copper (Cat5E or higher) as well as Multimode or Singlemode optical fibre.

Article Content

SFP BiDi 1000BASE-BX 1.25Gbps Tx1550nm/ Rx1310nm LC SMF

A versatile SFP module that works reliably over distances of up to 40 kilometers as well as very short, 1-meter connections. Thanks to a specially designed receiving diode, the module is resistant to

SFP Transceiver

The 1000BASELX SM SFP 40KM is a Gigabit single-mode SFP (mini-GBIC) transceiver with an LC style connector. Operating at a 1310nm wavelength, it supports 1000BaseLX Ethernet over single-mode

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved

SFP-10G-ER Explained: Powering 40km 10Gbps

This hot-pluggable SFP+ transceiver is engineered to transmit 10Gbps data streams over single-mode fiber (SMF) for link lengths up to 40

1000BASE-BX SFP 40km Side B | Single Fiber | EDGEOPTIC

Supporting 40km transmission over single-mode fiber at 1550/1310nm wavelengths, this BiDi module delivers 21 dB link budget and multi-rate operation from 100 Mbps to 1.25 Gbps.

AMG SFP-SM-1G-BX40-31 SFP-1G Series, SFP

The SFP modules are a perfect solution for extending the capability of SFP enabled Ethernet devices to support links from remote locations which are beyond the

OREI 1G SFP Single-Mode Optical Module (1000BASE-EX, 1310nm,

Built on the 1000BASE-EX optical standard, it supports long-distance fiber networking applications with reliable performance across enterprise, AV, and infrastructure environments. Operating at a 1310nm

SFP-1G-EX Compatible | 1000BASE-EX SFP

The SFP-1G-EX Compatible transceiver is a high-performance optical module designed for extended-reach Gigabit Ethernet networks. Compliant with the

Single Mode Fiber Optical Transceiver Module

High-performance Single Mode Fiber Optical Transceiver Module with 25G speed, 40km range, and 1310nm wavelength. Reliable, cost-effective, and compatible with industry standards.

Huawei 34060918 OSX040B03 LC SM 40km BiDi Transceiver

40km Long-Distance Transmission: With a transmit optical power range of 0 dBm to 5 dBm and a receiver sensitivity of -18 dBm, this module maintains reliable signal integrity over distances up to 40

1.25G SFP Transceiver LC Single Mode Fiber 1.25Gbps RX1550

1. Fiber Type: This SFP optical module adopts LC single mode fiber, and provides 1.25Gbps transfer rate, RX1550 TX1310 nm, transmission distance reaches up to 40KM. 2. Durable Metal: This SFP

Single-mode optical fiber

In fiber optics, a quadruply clad fiber is a single-mode optical fiber that has four claddings. Each cladding has a refractive index lower than that of the core.

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved

China China Wholesale 40km SFP Module Transceiver Manufacturers ...

China Wholesale 40km SFP Module Transceiver Manufacturers Pricelist - 1.25G Single Mode 20Km DDM | Single Fiber SFP Transceiver JHA5420D-35 – Detalye ng JHA: Mga Tampok:

Good Quality SFP Module – 155M Single Mode 40Km DDM | Single Fiber

Ang JHA''s JHA5240D-53 Transceiver ay isang mataas na pagganap, cost effective na module na may isang solong LC optics interface. Tugma ang mga ito sa Small Form Factor Pluggable Multi-Sourcing

10G Single-Mode Optical Module

SFP+ transceiver that supports 10G connections up to 10 km using single-mode fiber with a duplex LC UPC connector.

1 Pair 1.25G Fiber Optical Module Single Mode Single Fiber

1 Pair 1.25G Fiber Optical Module Single Mode Single Fiber 1310/1550nm Gigabit SFP Transceiver for FTTX

1.25G Single Mode Dual Fiber SFP LC Module 1310nm 20KM Fiber Optic ...

1 year Warranty Time Product name: 1.25G Single Mode Dual Fiber SFP LC Module Keywords: 1.25G Single Mode Dual Fiber SFP LC Module Transmission Distance: 20KM/40KM Temperature: 0~70°C

Accortec 100-02142-40-ACC 10Gbps 10GBase-DWDM OC-192/STM-64 Single-Mode ...

Product Description Accortec 100-02142-40-ACC 10Gbps 10GBase-DWDM OC-192/STM-64 Single-mode Fiber 40km 1561.42nm Duplex LC Connector XFP Transceiver Module Product

1000BASE-SX, 1000BASE-LX, 1000BASE-ZX&BX SFP:

What is 1000BASE-EX? 1000BASE-EX is a non-standard but widely used industry term for Gigabit Ethernet fiber optic transmission. The letter “EX”

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved

Contact Us

Continue your research online:

Website: https://kenhardtprimary.co.za
Technical inquiry: https://kenhardtprimary.co.za/project-desk.html
African project coordination: Century City, Cape Town, Western Cape, South Africa

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved