E2000 Fiber Optic Interface



Overview

The E-2000® connector, invented by DIAMOND, delivers unmatched reliability and precision in fiber-optic interconnects - making it the ideal choice for critical transmission points across telecom, industrial, medical, and more applications. By checking this box I confirm that I have read the Privacy. OPTICOM® E2000 fibre optic products provide a flexible and modular system with components for fibre termination, splicing, and patching in all applications with superior patch field access, easy moves-adds-changes, and simple installation. The E2000 fibre optic products offer both pre-loaded and. increasing performance requirements. Diamond has responded to this challenge and expanded the E-2000TM connector system to address these igin, etc. The thumb-latch and frame a ava ble in eight di nct c rs: ge (Wh in multiple-service patch facilities. The E-2000TM system. The E2000 specifications, E2000 standard, E2000 technical data define one of the most robust fibre optic connectors with 2. 5mm ferrule, automatic dust shutter and push-pull mechanism to IEC 61754-15.

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved

Article Content

E-2000® Connector | High-Performance Fiber Optics

The E-2000® connector by DIAMOND - inventor of this reliable, high-performance fiber optic solution - offers low insertion loss and multiple interface options for

PANDUIT® E2000 Fibre Optic Solution Guide

OPTICOM® E2000 fibre optic products provide a flexible and modular system with components for fibre termination, splicing, and patching in all applications with superior patch field access, easy

DIAMOND E-2000 Fiber Optic Components

echanical and optical interfaces, the E-2000TM fiber optic connector family can cover the most standard and cus-tomized requirements in response.

E2000 Connector Specifications & Standards | Fiber Products

The E2000 specifications, E2000 standard, E2000 technical data define one of the most robust fibre optic connectors with 2.5mm ferrule, automatic dust shutter and push-pull mechanism to

E-2000 Connector

Our interactive solutions page allows you to get immediate access to the appropriate SENKO products. SENKO wants to help you succeed in your Fiber Optics needs

E2000 Fiber Optic Connector : sFiberOptic

The E2000 fiber optic connector meets the working environment of -40-85 °C, with an average of more than 500-1000 insertion and removal tests, with stable

E-2000® connector | optical fiber plug connector

The E-2000 is an optical fiber plug connector with push-pull locking mechanism and a self-closing dust protection flap. The connector is available for both singlemode and multimode applications.

E2000 Fiber Connector: Where and Why It''s Used

The E2000 fiber connector explained. Spring-loaded shutter mechanism, eye-safety design, push-pull engagement, applications in DWDM, telecom, and high-power optical systems.

E2000 Fiber Optic Adapter

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved

Telecommunication Networks: E2000 adapters are used to connect fiber optic networks in telecommunications, providing reliable and high-speed data transmission for phone companies.

RS PRO 7388530 E2000 to E2000 Single Mode Simplex Fiber Optic

E2000 AdaptorsAn optical Fiber adatpor is used to mate two connectors together, usually mounted in a distribution panel or wall box. The E2000 adaptor has a shutter on both the connector and adaptor to

E2000 Connectors

E2000 Connectors E2000 Connectors is a detachable (movable) connection device between optical fiber and optical fiber, which connects the two end faces of the optical fiber in a precise manner to

E2000 Optical Fiber Connectors | HYC Co., Ltd

HYC designs, manufactures and supplies E2000 fiber optic connectors. Buy and customize fiber optical connectors from fiber optic cable manufacturer - HYC Co Ltd.

DIAMOND E-2000 Fiber Optic Components

EN 86 275-802 „Connector sets of assessed quality for optical fibers and cables - Type LSH-HRL universal“ TIA/EIA 604-16 Fiber Optic Intermateability standard - Type IEC 61 754-15 “Fiber optic

Optical connector

The unparalleled mechanical and optical interface of the E-2000® connector family makes it an ideal choice for many applications. Diamond''s two

Fiber Optic Connector | Fiber Connector | E2000

Fiber optic connector is an important components used in the fiber optic network. It is also the key part used in fiber optic patch cords and fiber optic pigtails. E2000

2. 36-ME21

STANDARDS COMPLIANCE UL-V0 flammability rating ANSI/TIA/EIA 568.3-D (Optical Fibre Cabling Components Standard) ANSI/TIA/EIA-455B (Standard Test Procedure for Standard Fibre Optic

E2000 Connectors

Shop Now. International distributor for fiber optic components, equipment and accessories while providing invaluable technical consultation and support.

E2000 Fiber Optic Adapter

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved

E2000 Adapter E2000 Adapter Canovate fiber optic adapters are compatible with all fiber types including singlemode (9/125 microns), multimode (50/125 microns) fibers. Canovate components comply with

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://kenhardtprimary.co.za
Technical inquiry: https://kenhardtprimary.co.za/project-desk.html
African project coordination: Century City, Cape Town, Western Cape, South Africa

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved