
How to remove VLAN segments from Huawei core switches



Overview

To remove an individual VLAN from your HUAWEI switch configuration: Enter System View: Access the global configuration mode from the user view. Delete the VLAN: Use the undo vlan command followed by the specific VLAN ID. It is good practice to delete unused VLANs to conserve VLAN resources and reduce packets on the network. It does not need to be created and cannot be deleted. Virtual Local Area Networks (VLANs) segment a network into smaller, isolated broadcast. Virtual Local Area Networks (VLANs) are used to divide a physical LAN into multiple broadcast domains to isolate services with the aim of improving the security and management of the network. We will configure each switch for VLANs one by one. We can create VLANs. Connect to the device using SSH or the console port Log in to the management interface using your username and password.

Article Content

Deleting a VLAN

It is good practice to delete unused VLANs to conserve VLAN resources and reduce packets on the network. You can delete a single VLAN or VLANs in a batch. VLAN 1 is the default VLAN. It does not

How to Delete VLANs from a HUAWEI Switch

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved

To delete a VLAN or a range of VLANs from a HUAWEI switch, you will typically enter the system view and use specific undo vlan commands. This process ensures network cleanup and

01-04 VLAN CONFIGURATION

Assign VLANs on Switch_1 and Switch_2, configure Switch_1 and Switch_2 to transparently transmit VLAN packets to the Layer 3 switch, and configure a VLANIF interface for each VLAN on the Layer 3

Managing VLANs on Huawei Trunk Ports: Add & Remove Step-by

In this detailed tutorial, we focus on how to add and remove VLANs from a Huawei trunk port. If you''re working with Huawei switches and need to manage VLANs on trunk ports, this video is for you!

Huawei VLAN Configuration on Huawei Switches ⋆

In this lesson we will learn Huawei VLAN Configuration on Huawei Switches. VLAN Configuration is one of the key lessons for Huawei HCNA.

Basic CLI Commands on Huawei Switch

This text is a guide detailing Basic Command Line Interface (CLI) Commands on Huawei brand switches. It provides step-by-step instructions for users to perform

Notes/hardware/huawei/huawei-switch-commands.md at master

// Set port GE0/0/1 link type to trunk and allow VLAN 10 and 20. // Set port GE0/0/4 link type to access and use VLAN 10 as default VLAN. // Do factory recovery in user-view. // Check latest factory

Configure VLAN on Huawei Switch: Basic Step or

Configuring VLANs on a Huawei switch isn''t just about typing commands—it''s about crafting a network that''s resilient, agile, and secure. While

9 Query Commands for Huawei Switches

By mastering the above nine query commands, you can fully understand key data such as the operating status, interface configuration, VLAN

Huawei Switch VLAN Configuration: Are You Overlooking These

Use Huawei''s CLI or web interface to assign unique VLAN IDs (e.g., VLAN 10 for finance, VLAN 20 for engineering) and enforce strict port-based rules. Forget this, and you''re ...

VLAN Mapping Configuration Commands

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved

Precautions To make VLAN mapping take effect in the inbound direction only, configure the port vlan-mapping ingress and port vlan-mapping vlan map-vlan commands in sequence. To delete the VLAN

How to Delete Configuration on Huawei Switch ? Can

Mastering how to delete configuration on Huawei switch hardware means embracing impermanence. You design templates—standard VLAN

Deleting a VLAN

S9300 and S9300X V200R022C10 Configuration Guide - Ethernet Switching Deleting a VLAN Context It is good practice to delete unused VLANs to conserve VLAN resources and reduce packets on the

S600-E V200R020C10 Configuration Guide

This document describes the configuration of Ethernet services, including configuring MAC address table, link aggregation, VLANs, VLAN aggregation, MUX VLAN, VLAN termination, Voice VLAN,

How to delete a single VLAN or VLANs in a batch

Knowledge Base How to delete a single VLAN or VLANs in a batch Published On□2016-11-24 Views□55839 Downloads□0

Creating and Deleting a VLAN

Run the vlan range { vlan-id1 [to vlan-id2] } & command in the system view to create a VLAN range and enter the VLAN-Range view. Then, configure services in the VLAN-Range view and

Configuring Devices to Be Managed by the Controller (in the Hybrid ...

Context On a large or midsize campus network, switches running V600 (such as the S8700) can function as core switches and be deployed together with switches running V200 (such as

Troubleshooting VLANs

S1720, S2700, S5700, and S6720 V200R011C10 Configuration Guide - Ethernet Switching This document describes the configuration of Ethernet services, including configuring link aggregation,

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved

Contact Us

Continue your research online:

Website: https://kenhardtprimary.co.za
Technical inquiry: https://kenhardtprimary.co.za/project-desk.html
African project coordination: Century City, Cape Town, Western Cape, South Africa

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved