Photoacoustic control sensor module



Overview

The sensor module can be operated via a downstream controller, but can also control a variety of processes and peripheral components itself. By spectrally tuning to the respective target gas, the PAS sensor achieves very high selectivity and delivers highly precise measurement. The photoacoustic effect is based on the sensitive detection of acoustic waves. It features a robust design that does not require any user alignment and is ready to use out-of-the-box; by simply connecting the target gas sample to the QEPAS-CH4. The SCD40 represents the base variant in the SCD4x series and provides a cost-effective photoacoustic NDIR CO2 sensor delivering an accuracy of ± (50ppm + 5% m. The sensor is compatible with the WELL Building Standard™. The SCD4x is Sensirion's second generation series.

Article Content

Photo acoustics

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved

Gas Analysis with Photoacoustic MethodsLight Sources and Photoacoustic Measuring Set-UpDetecting Traces of Gaseous Nitrogen CompoundsDue to the narrow width of their emission line, lasers are best suited as light sources for photoacoustic applications. Many practical applications, such as trace gas detection, require compact tunable laser sources. For this purpose, we use single-mode DFB (distributed feedback) near-infrared diode lasers with a high spectral resolution.See more on ibp aunhofer Images of Photoacoustic Control Sensor modulePhotoacoustic ImagingPhotoacoustic Imaging SystemPhotoacoustic TomographyPhotoacoustic SpectroscopyPhotoacoustic EffectPhotoacoustic CO2 SensorPhotoacoustic Oxygen SensorPhotoacoustic Gas SensorPhotoacoustic DevicePhotoacoustic spectroscopy sensor for CO2 measurements - Control ...JSSS - Miniaturized two-chamber photoacoustic CO2 sensor with a wafer ...(a) Photograph of the proposed photoacoustic sensor that can fit in the .. tector module PCB with photoacoustic transducer (right, front side ...Schematic of the proposed photoacoustic sensing device for blood ...How a Photoacoustic CO2 Sensor WorksTowards a Miniaturized Photoacoustic Sensor for Transcutaneous CO2 ...The system consists of three basic modules. The photoacoustic module ...Experimental setup of the photoacoustic sensor system. | Download ...See allInfineon Technologies

CO2 sensors - Infineon Technologies

Infineon''s XENSIV™ PAS CO 2 sensor leverages photoacoustic spectroscopy (PAS) technology to provide an exceptionally small, real CO 2 sensor that is both

Quartz-Enhanced Photoacoustic Sensor for Methane

The QEPAS-CH4 sensor features an "all-in-a-box" design and is equipped with all necessary components for methane detection. The test gas is connected to the

Techniques to enhance the photoacoustic signal for trace gas

Two schematics of fiber-ring laser intra-cavity enhanced photoacoustic spectroscopy used in conventional photoacoustic resonator PAS system (a) and QEPAS system (b), the wavelength

Photoacoustic sensors – Mid IR and Terahertz Group

Starting with environmental monitoring, including air, water and soil quality control, their high versatility allows them to be applied in sectors such as breath analysis for non-invasive disease diagnosis like

Photo Acoustic Spectroscopy in gas analysis

Major advantage of the photoacoustic effect is the fact that sensitivity is basically not dependent on the optical path length. This allows high sensitivity from short

Lumasense Technologies Photoacoustic Gas Monitor –

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved

The LumaSense Photoacoustic Gas Monitor INNOVA 1412i is based on the photoacoustic infrared spectroscopy and delivers superior sensitivity in a very

Acoustic Detection Module Design of a Quartz

Abstract This review aims to discuss the latest advancements of an acoustic detection module (ADM) based on quartz-enhanced photoacoustic

Low-cost electronic circuitry for photoacoustic gas sensing

A photoacoustic cell should be operated at its resonance frequency for highest sensitivity and if not known it must be determined before quantitative measurements are carried out.

SmartGAS PAS-Photoacoustic sensor

The sensor module is “stand-alone” in that it has full functionality and can control all the components and processes, however it is also possible to connect to a PLC

Fuzzy Logic Control-Based HIFU System Integrated with Photoacoustic ...

The system''s control interface is built based on a touch screen to create a companionable interaction for users. The embedded fuzzy logic controller using the thermal input from the thermocouple sensor

A Dual-Component Detection Photoacoustic Spectroscopy Sensor

In this article, we present a dual-component detection photoacoustic spectroscopy (PAS) sensor based on a YY-type photoacoustic cell (PAC), which is designed for the simultaneous detection of two trace

Fuzzy Logic Control-Based HIFU System Integrated with Photoacoustic ...

Article on Fuzzy Logic Control-Based HIFU System Integrated with Photoacoustic Imaging Module for Ex Vivo Artificial Tumor Treatment, published in Applied Sciences 10 on 2020-11-06 by

Controlling the sound of light: photoswitching optoacoustic imaging

This Review describes how photoswitchable probes and associated hardware innovations are poised to transform optoacoustic imaging in life sciences research.

Acoustic Detection Module Design of a Quartz-Enhanced Photoacoustic Sensor

Quartz enhanced photoacoustic spectroscopy (QEPAS), since it was first reported in 2002, has become one of the promising optical detection techniques due to the fact that it offers high detection

Photoacoustic spectroscopy

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved

Example: Laser-based photoacoustic measuring system for leak detection A laser-based PA module with a resonant measuring cell has been developed for

Embedded system based data acquisition and control system for ...

Laser absorption spectroscopy by photoacoustic (PA) detection technique is increasingly used in trace gas analysis. Our research group focuses on related instrument and application

Compact and Highly Sensitive NO2 Photoacoustic

A nitrogen dioxide (NO2) photoacoustic sensor for environmental monitoring was developed using a low-cost high-power laser diode emitting at

Fuzzy Logic Control-Based HIFU System Integrated

Fuzzy Logic Control-Based HIFU System Integrated with Photoacoustic Imaging Module for Ex Vivo Artificial Tumor Treatment November

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://kenhardtprimary.co.za
Technical inquiry: https://kenhardtprimary.co.za/project-desk.html
African project coordination: Century City, Cape Town, Western Cape, South Africa

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved