PLC splitter temperature failure



Overview

ABSTRACT lifetests performed on silica-based planar lightwave circuit (PLC) devices. Specifically, we tested PLC splitter m dules in damp heat environments with different temperatures and humidities.

Key Takeaways

PLC splitters can experience optical performance degradation due to temperature-induced stress, leading to insertion loss drift, port imbalance, and potential long-term failure.

Causes of Temperature-

Related FailuresPLC splitters are sensitive to temperature variations because they are composed of multiple materials with different coefficients of thermal expansion (CTE). When exposed to high or fluctuating temperatures, thermal stress builds up at material interfaces, such as between the fiber array, adhesive layers, and the planar waveguide chip. This can cause micro-displacement, fiber misalignment, or lid detachment, which reduces optical coupling efficiency and increases insertion loss (IL) or port-to-port imbalance.

Temperature cycling—repeated heating and cooling—can exacerbate these effects by causing expansion and contraction mismatches between the waveguide chip, adhesives, and housing materials. Over time, this leads to gradual optical performance degradation, even if the waveguide itself remains intact. Moisture ingress in poorly sealed enclosures can further accelerate deterioration under thermal stress.

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved

Observed Effects on Optical PerformanceTemperature-induced failures in PLC splitters typically manifest as: Insertion loss drift: gradual increase in IL across one or more output ports. Port imbalance: uneven power distribution among output channels.

Sudden I

L fluctuations: particularly under cyclic loading or rapid temperature changes, often at weak adhesive joints. Reduced reliability in FTTH networks: marginal links may fail when additional subscribers are added due to decreased power budget headroom.

High-quality PL

C splitters maintain uniformity within ±0. 5 dB, but temperature stress can increase port-to-port variation beyond this range.

Reliability Testing and Mitigation

Telcordia GR-1209/1221-CORE standards are commonly used to evaluate PLC splitter durability under high/low temperature storage, temperature cycling, thermal shock, and humidity. Studies show that properly designed splitters with optimized adhesives, UV exposure control, and surface treatments can withstand temperature variations without significant IL or polarization-dependent loss (PDL) changes. Mitigation strategies include: Using adhesives and packaging materials with matched CTE to minimize thermal stress.

Ensuring adequate strain relief to prevent mechanical stress transfer to internal fiber joints. Sealing enclosures to prevent moisture ingress. Conducting temperature cycling tests during design to identify weak points and improve long-term reliability.

Key Takeaway

Temperature failure in PLC splitters is primarily caused by thermal stress and CTE mismatch, which affect the alignment of fibers and the waveguide chip. While the splitter may not fail immediately, long-term exposure to temperature fluctuations can degrade optical performance, leading to increased insertion loss, port imbalance, and reduced network reliability. Proper material selection, packaging design, and adherence to reliability testing standards are essential to mitigate these effects and ensure stable operation in optical networks.

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved

Article Content

Why PLC Splitters Fail Quietly

Within splitter architectures where planar lightwave circuits distribute optical power across fixed branching structures, long-term stress accumulates through micro-level changes in coupling

LONG· TERM RELIABILITY OF SILICA·BASED PLANAR LIGHTW A

ABSTRACT lifetests performed on silica-based planar lightwave circuit (PLC) devices. Specifically, we tested PLC splitter m dules in damp heat environments with different temperatures and humidities.

Common Splitter Failures: Optical and Structural Causes

Temperature cycling introduces expansion mismatch between the waveguide chip, adhesive compounds, and housing materials. Over time, this causes micro-displacement that alters

Research on drop reliability of PLC optical splitters by online test ...

This work presents an experimental and numerical study of the failure behavior of planar lightwave circuit (PLC) optical splitters under uniaxial tensile loading.

Experimental–numerical studies of failure behavior of PLC optical ...

Previous studies have mainly focused on the performance reliability of PLC optical splitters under temperature and humidity environments, and their failure behavior under mechanical load has

Failure analysis and reliability studies of PLC optical splitter

Since a packaged PLC splitter composed of many materials with different CTE, these CTE mismatch would induce different dimensions of elongations or contractions in material bonding

Reliability Analysis and Testing of Fiber optic PLC Splitters

Besides field failure data, accelerated life testing under conditions of high temperature, humidity and electrical stress can provide valuable information on the degradation and failure

Response Analysis of PLC Optical Splitters Under Force Cyclic ...

This study helps to identify the location of weak areas of PLC optical splitters and understand their response behavior under force cyclic loads, which can provide a useful reference for

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved

PLC Splitters For FTTH: Ratios, Loss Budget & Quick

A complete engineering guide to PLC splitters in FTTH networks. Learn splitter ratios, insertion loss, cascade design, FAT & closure integration,

PLC Splitter Qualification Test Report

This report presents the qualification test results of MESU Planar Lightwave Circuit Splitter (PLCS) products. The products chosen to performance the qualification testing are 1x8 PLC splitters by

Failure analysis of adhesive bonded planar lightwave circuit (PLC ...

An accelerated lifetest on PLC-type optical splitters is performed in damp heat environments with different temperatures and humidities. The Weibull distribution is used to analyse

Diagnosing and Repairing PLC Module Failures

□□ PLC module failures can disrupt automated manufacturing systems, but recognizing early warning signs and applying a structured troubleshooting process can

Troubleshooting Common PLC Failures: Essential Guide

Discover how to troubleshoot common PLC failures with our expert guide. Learn causes, solutions, and tips to keep your automation systems

PLC Failure & Troubleshooting Guide: Quick Solutions

Learn about common PLC failures, warning signs, and effective troubleshooting steps to keep your automation systems running smoothly.

Troubleshooting Optical Splitters | ICT Solutions & Education

Optical splitters in the outside plant (OSP) are used mostly in passive optical networks (PONs) for fiber-to-the-user (FTTx) networks, and are often overlooked as failure points. In this article I focus on a

The Definitive Guide to Fiber Optic PLC Splitter in 2022

This type of PLC splitter uses a bare fiber to guide light, which makes it more flexible than other types of PLC splitters. The bare fiber splitter is the most straightforward and commonly used

Guide to Common Causes of PLC Failures

Read our guide to see common causes of PLC failures and issues. Learn how you can prevent these issues with Global Electronics Repair.

PLC Faults 101

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved

This blog post highlights the top 10 PLC faults, their root causes, and step-by-step solutions to ensure smooth industrial operations.

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://kenhardtprimary.co.za
Technical inquiry: https://kenhardtprimary.co.za/project-desk.html
African project coordination: Century City, Cape Town, Western Cape, South Africa

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved