Safe distance from main distribution box



Overview

Approved Document M of the Building Regulations states that consumer units/fuseboxes should be mounted so that the switches are 1350-1450mm above floor level. If you are looking to have electrical work done in your home, a registered electrician can advise you further. Is distance satisfactory to protect power distribution boxes (breaker boxes, disconnects ranging from anywhere from 50 volts to 440 volts) from damage in active warehouses with stacked material, fork truck traffic, and pedestrian traffic; or does there need to be a protective barrier?

If distance. The minimum approach distance chart defines safe working distances to prevent arc flash injuries. For instance, OSHA's Table R-6 specifies minimum approach distances for various voltage. The minimum safe distance from a power line depends on the voltage, the type of activity, and what's nearby, but the most widely recognized baseline is 10 feet for any person or piece of equipment near lines carrying up to 50,000 volts. That figure comes from federal workplace safety regulations. The International Standards of Practice for Inspecting Commercial Properties (ComSOP) states that the inspector should report on the lack of accessibility or working space for electrical panels and gear that would hamper their safe operation, maintenance, and inspection. Many jurisdictional and. The following table of Safe Distances from EMF Sources is offered below to help reduce your exposure to electromagnetic fields (EMFs).

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved

Article Content

Q&A: Is distance satisfactory to protect electrical disconnects?

For indoor electrical installations, the dedicated space must be of equal depth and width to that of the equipment itself and extend from the floor to a height of 1.83 meters (6 feet) above the

Minimum Approach Distance Chart

By defining safe distances based on phase-to-ground and phase-to-phase system voltages and considering factors like transient overvoltage, the chart helps protect workers from

Minimum Distance from Power Lines: Rules and Requirements

The minimum safe distance from a power line depends on the voltage, the type of activity, and what''s nearby, but the most widely recognized baseline is 10 feet for any person or piece of

Safe Clearances for Electrical Equipment: Working Space and

Side clearance: There should be a minimum of 30 inches of clearance from the sides of all electrical equipment, but in no case less than the width of the equipment itself. This is referred to as the side-to

What Distance is Safe?

The safety distances below are based on Michael Neuert''s actual EMF measurements in the San Francisco Bay Area over a 28 year period. The distances shown here are usually far enough away

How Much Clearance Is Required Around an Electrical Panel?

For a typical residential panel operating at 120/240 volts, the required depth of the clear space is 36 inches, measured outward from the face of the enclosure. This 3-foot depth is the minimum

AS/NZS 3000 Switchboard Clearances: Safety Rules Every

Distance Requirements: Maintain a minimum clearance of 1.0 meter from all accessible faces of a switchboard. For domestic setups, this can be reduced to 0.6 meters.

How to Maintain a Safe Distance from the Substation? Guarding ...

It is generally recommended to maintain a minimum safe distance of at least 10 meters (approximately 33 feet) from the substation fencing to guard against potential step voltage risks.

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved

NEC Requirements for Panelboards and Load Centers

The main service panel must have a main disconnect or breaker that can disconnect all power to the building. The disconnect must be located either in the panel or adjacent to the panel.

What should the distance be between the floor and the distribution ...

What should the distance be between the floor and the distribution board or main switch? Approved Document M of the Building Regulations states that consumer units/fuseboxes should be mounted so

Contact Us

Continue your research online:

Website: https://kenhardtprimary.co.za
Technical inquiry: https://kenhardtprimary.co.za/project-desk.html
African project coordination: Century City, Cape Town, Western Cape, South Africa

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved