SC optical module TP



Overview

1,25G SFP Module, SC Single-mode Fiber Optic Cable Connector, 1000 Base-BX TX 1550nm / RX 1330nm Single-mode, DDM 10KM. Compatible with switch compatibility list: Cisco, Huawei, D-Link, Mikrotik, ZTE . The GPON ONU Stick transceiver module is designed with a simpler and more cost-optimised architecture that ultimately reduces the number of devices deployed and managed in a network. It integrates bidirectional data transmission over one single-mode optical fibre. The GPON ONU Stick module provides. TP-LINK´s TL-SM321B-2 and TL-SM321A-2 is designed to work in a pair to create an on-site gigabit fiber communication up to 2km (2,000 meters). With one single-mode fiber, the pair of modules can create a full-duplex gigabit path between your switches, storage devices, and server. The TP-LINK´s. SC APC SFP modules are increasingly used in optical networks where signal precision, low reflection, and long-distance stability are critical. Guaranteed compatibility & 5-Year Warranty. TP-LINK - TP-LINK - PLT12-C+ - GPON OLT SFP optical.

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved

Article Content

TP-LINK Compatible GPON ONU Stick with MAC and

It integrates bidirectional data transmission over one single-mode optical fibre. The GPON ONU Stick module provides an asymmetric 1.244 Gbps upstream and

1000Base-BX WDM Bi-Directional SFP Module

TP-Link''s TL-SM321B-2 is used for short-and medium distance fiber network in practice, and it provides fast and stable gigabit fiber connection for switches, routers, servers, etc.

SC APC SFP Module Guide for Optical Network Selection

This guide provides a structured approach to evaluating SC APC SFP modules from a procurement perspective. It covers key specifications, compatibility considerations, common deployment

SC SFP – Optcore

Optcore offers a wide range of SC SFP BiDi modules at a great price. These bidirectional modules can transmit and receive signals using WDM technology

1.25G SFP Module, Single Mode SC, TX1550nm, DDM | Elfcam

This optical module offers a reliable and durable solution for professional installations. Designed for fiber optic technicians and demanding network environments.

SFP Optical Module, 1x 1Gb, LC SM, 10km, WDM, TX:

TL-SM321B » Port: 1x 1000 Mbps LC SM; TX wavelength: 1310 nm; RX wavelength: 1550 nm; Max. distance: 10 km; Cable type: 9/125 um Single-mode; Module

SFP Fiber Optic Connector Types: LC, SC, MPO Explained

Explore common SFP fiber optic connector types, including LC, SC, and MPO/MTP. Learn their differences, use cases, and compatibility.

TXM431-SR | 10GBase-SR SFP+ LC Transceiver

The TXM431-SR is designed to extend transfer distances based on 10Gbps Ethernet connectivity. It is a 10GBASE-SR high performance 850nm multi-mode

10G BiDi SFP+ Optical Module Interface Comparison: SC vs LC

With the increasing demand for high-speed optical communications in data centers,enterprise networks,and carrier networks,10G BiDi SFP+ optical modules have become a

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved

Media Converters & SFP Module Flyer_Online Version

100 Mbps Media Converters Benefit Flexible Surveillance TP-Link Fast Ethernet Media Converters are designed to address the needs of flexible long-range surveillance deployment with

Everything You Need to Know About Fiber Optic SC

Discover everything about SC fiber optic connectors, essential for linking multimode and singlemode fiber optic cables in telecom and data

SFP Optical Module Industrial 1.25G Single-mode 1xSC

This is an Industrial SFP optical module. It uses a single mode optical fiber and the speed rate can up to 1.25Gbps, transmission distance up to 20 km. This product

1.25G SC SFP Module Optical Module 20Km

High-performance 1.25G SC SFP module with 20km reach. Dual wavelength options (TX1310/RX1550 and TX1550/RX1310), industrial/commercial temperature

Everything You Need to Know About SC Connectors

Learn all about SC connectors and fiber optic connectors in our comprehensive guide. From design to advantages, we cover everything you

Introduction Of 100M Single-mode SFP BIDI SC

In this blog, ETU-LINK will focus on introducing the type and transmission distance of the 100M single-mode SFP BIDI SC connector optical

Comparison of Optical Module Connectors: SC vs LC vs

SC vs LC vs MTP/MPO: Performance Characteristics All three fiber optic connectors play a good role in the use process. The SC connector has

Small Form-factor Pluggable

Small Form-factor Pluggable Small Form-factor Pluggable connected to a pair of fiber-optic cables Small Form-factor Pluggable (SFP) is a compact, hot

TP-LINK Compatible GPON ONU Stick with MAC and

TP-LINK Compatible GPON ONU Stick with MAC and Web Interface SFP SFP 1310nm-TX/1490nm-RX 1.244G-TX/2.488G-RX Class B+ 20km DOM Simplex

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved

Contact Us

Continue your research online:

Website: https://kenhardtprimary.co.za
Technical inquiry: https://kenhardtprimary.co.za/project-desk.html
African project coordination: Century City, Cape Town, Western Cape, South Africa

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 KENHARDT OPTICAL NETWORKS - All rights reserved